

FIG. 1

24




FIG. 2




FIG. 3




FIG. 4




FIG. 5

TOP SECRET \* 52657660




FIG. 6A




FIG. 6B




FIG. 6C




Fig. 6D




FIG. 7




FIG. 8

101207-565535-112207




Figure 9

TOYOTTY-SE657660





Figure 10

Monitor Send DLL 1003

09975935-112101



setDestination (string &, string &, string &)  
startSend(enum infoType)  
dataSend(map<infoType, string>)  
endSend()

Figure 11

Receive Store DLL 1013




Figure 12

### Receiver Manager 1203




Figure 13

Data Retriever 1205




Figure 14




Figure 15A

Data Retriever 1205




Figure 15B




Figure 15C




Figure 15D

POP3 Processor 1207




Figure 16

## POP3 Processor 1207




Figure 17

### POP3 Processor 1207




Figure 18

ROUTINE=SEC657650




Figure 19

## POP3 Processor 1207




Figure 20A

## POP3 Processor 1207




Figure 20B

### POP3 Processor 1207

TOY2TT-5E657660




Figure 21

## POP3 Processor 1207

ROUTINE=SEC657660




Figure 22

ODBC Interface 1209




Figure 23

ODBC Interface 1209




Figure 24




Figure 25

